



ViewSonic Projectors

Award-winning. Innovative. Dependable. ViewSonic brings you the most complete line of performance LCD and DLP® projectors from road-ready portables to models designed for large venues and entertainment. When you're navigating through a forest of projector options, let the visual experts at ViewSonic guide you.

Unmatched Support

ViewSonic has the **best product warranty and service support** in the business!



3 Year

Parts and labor limited warranty

1 Year

Free Express Exchange@service

1 Year

Limited lamp warranty

	PJ258D	PJ260D	PJ358	PJ359w	PJ503D	PJ513DB
Native Resolution	XGA 1024x768	XGA 1024x768	XGA 1024x768	WXGA 1280x800	SVGA 800x600	SVGA 800x600
Technology	DLP®	DLP®	3-panel LCD	3-panel LCD	DLP®	DLP®
Brightness Lumens (max)	2,000	2,000	2,000	2,000	1,500	2,200
Contrast Ratio (max)	2000:1	2000:1	500:1	500:1	2000:1	2000:1
Display Size (in.)	40-300	40-300	30-300	30-300	37.5-150	37-162
Aspect Ratio	4:3 (native), 16:9	4:3 (native), 16:9	4:3 (native), 16:9	4:3 (native), 16:9	4:3 (native), 16:9	4:3 (native), 16:9
Minimum Projection Throw Distance (in.)	62	63	32	35	38	59
Throw Ratio	1.94-2.27:1	1.9-2.25:1	1.3-1.5:1	1.5-1.8:1	2:1	1.8-1.98:1
Digital Keystone Correction	Yes	Yes	Yes, auto vert	Yes	Yes	Yes
Zoom/Focus Control	Manual/Manual	Manual/Manual	Manual/Manual	Manual/Manual	-/Manual	Manual/Manual
Eco or Whisper-mode	Yes, eco-mode	Yes, eco-mode	Yes, eco-mode	Yes, eco-mode	Yes, eco-mode	Yes, eco-mode
Noise Level (dB) Normal/Eco or Whisper-mode	36/34	38/32	36/30	44/37	30/27	32/28
Lamp Life** (hrs.) Normal/Eco or Whisper-mode	2,000/3,000	2,000/3,000	2,000/3,000	2,000/3,000	2,000/3,000	2,000/3,000
Altitude (ft.)	0-10,000	0-30,000	0-10,000	0-10,000	0-10,000	0-10,000
Lamp Type (watts)	200	200	160	190	160	180
Net Weight (lb.)	3.9	2.9	3.9	3.9	5.7	5.7
Integrated Speakers	1x1-watt	1x1-watt	1x1-watt	1x1-watt	No	1x2-watt
Mac® Compatible*	Yes	Yes	Yes	Yes	Yes	Yes
Remote Control/Mouse	Yes/No	Yes/No	Yes/Yes	Yes/Yes	Yes/No	Yes/No
RGB Inputs/Outputs	1/-	1/-	2/-	2/-	1/-	1/1
Additional Inputs	iPod, S-video, component, † composite	S-video, composite	S-video, component, † composite, USB	S-video, component, † composite, USB	S-video, component, † composite	S-video, component, † composite
HD Ready	Yes	Yes	Yes	Yes	Yes	Yes
Video Compatibility (typ)	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV
Dimensions- W x H x D (in.)	11.3 x 3.3 x 7.5	8.6 x 2.7 x 6.7	10.8 x 2.3 x 8.1	10.8 x 2.3 x 8.1	10.3 x 4.2 x 8.6	10.3 x 4.2 x 8.6
Power Consumption - watts (typ)	280	260	250	310	250	260
Includes Soft Case	Yes	Yes	Yes	Yes	No	No
Limited Lamp Warranty	1-year	1-year	1-year	1-year	1-year	1-year
First-Year Express Exchange®	FREE	FREE	FREE	FREE	FREE	FREE
Limited Warranty	3-Year	3-Year	3-Year	3-Year	2-Year	3-Year

Sales: (888)881-8781 ▪ salesinfo@ViewSonic.com ▪ ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. *Adapter may be required. Analog adapter available from ViewSonic. **Running eco-mode or whisper-mode exclusively can extend lamp life. †Optional RGB to component video adapter required. DLP is a registered trademark of Texas Instruments, Inc. in the United States and/or other countries. Specifications subject to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2008 ViewSonic Corporation. All rights reserved. [13858-07B-08/08]



ViewSonic® Projectors

2008



WPG-150 Wireless Presentation Gateway

Set your presentations free. Wirelessly connect your notebook or desktop PC to any projector. Take your presentations anywhere with 802.11b/g connectivity and easily experience dynamic, interactive meetings without swapping cables. Supports any projector, LCD or LCD TV with a VGA or DVI connector. Visit ViewSonic.com for full details and specifications.

	PJ551D	PJ557D	PJ559D	PJ560D	PJD6220	PJD6230
Native Resolution	XGA 1024x768	XGA 1024x768	XGA 1024x768	XGA 1024x768	XGA 1024x768	XGA 1024x768
Technology	DLP®	DLP®	DLP®	DLP®	DLP®	DLP®
Brightness Lumens (max)	2,300	2,300	2,700	3,200	2,300	2,700
Contrast Ratio (max)	2000:1	2000:1	2000:1	2000:1	2000:1	2000:1
Display Size (in.)	27.2–250	27.2–250	27.2–250	27.2–250	30 – 300	30 – 300
Aspect Ratio	4:3 (native), 16:9	4:3 (native), 16:9	4:3 (native), 16:9	4:3 (native), 16:9	4:3 (native), 16:9	4:3 (native), 16:9
Minimum Projection Throw Distance (in.)	47	47	47	47	47	47
Throw Ratio	1.97–2.16:1	1.97–2.16:1	1.97–2.16:1	1.97–2.16:1	1.9 – 2.16:1	1.9 – 2.16:1
Digital Keystone Correction	Yes	Yes	Yes	Yes	Yes	Yes
Zoom/Focus Control	Manual/Manual	Manual/Manual	Manual/Manual	Manual/Manual	Manual/Manual	Manual/Manual
Eco or Whisper-mode	Yes, eco-mode	Yes, eco-mode	Yes, eco-mode	Yes, eco-mode	Yes	Yes
Noise Level (dB) Normal/Eco or Whisper-mode	34/32	34/32	36/34	36/34	36/34	36/34
Lamp Life** (hrs.) Normal/Eco or Whisper-mode	3,500/4,000	3,500/4,000	3,500/4,000	3,500/4,000	3,500/4,000	3,500/4,000
Altitude (ft.)	0–10,000	0–10,000	0–10,000	0–10,000	0–10,000	0–10,000
Lamp Type (watts)	180	180	200	260	180	200
Net Weight (lb.)	6.0	6.0	6.0	6.0	6.5	6.5
Integrated Speakers	–	2x5-watt	2x5-watt	2x5-watt	2x5-watt	2x5-watt
Mac® Compatible*	Yes	Yes	Yes	Yes	Yes	Yes
Remote Control/Mouse	Yes/No	Yes/Yes	Yes/Yes	Yes/Yes	Yes/No	Yes/No
RGB Inputs/Outputs	1/–	2/1	2/1	2/1	2/1	2/1
Additional Inputs	S-video, component, + composite	S-video, component, + composite	S-video, component, + composite	S-video, component, + composite,	S-video, composite	S-video, composite
HD Ready	Yes	Yes	Yes	Yes	Yes	Yes
Video Compatibility (typ)	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV
Dimensions- W x H x D (in.)	10.8 x 4.3x 8.8	10.8 x 4.3x 8.8	10.8 x 4.3 x 8.8	10.8 x 4.3 x 8.8	8.9 x 4.3 x 8.7	8.9 x 4.3 x 8.7
Power Consumption - watts (typ)	250	250	200	250	265	265
Includes Soft Case	No	Yes	Yes	Yes	Yes	Yes
Limited Lamp Warranty	1-year	1-year	1-year	1-year	1-year	1-year
First-Year Express Exchange®	FREE	FREE	FREE	FREE	Yes	Yes
Limited Warranty	3-Year	3-Year	3-Year	3-Year	3-year	3-year

Sales: (888)881-8781 • salesinfo@ViewSonic.com • ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. *Adapter may be required. Analog adapter available from ViewSonic. **Running eco-mode or whisper-mode exclusively can extend lamp life. †Optional RGB to component video adapter required. DLP is a registered trademark of Texas Instruments, Inc. in the United States and/or other countries. Specifications subject to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2008 ViewSonic Corporation. All rights reserved. [13858-07B-08/08]



	PJD6240	PJ759	PJ1158	PJ1173
Native Resolution	XGA 1024x768	XGA 1024x768	XGA 1024x768	XGA 1024x768
Technology	DLP®	3-panel LCD	3-panel LCD	3-panel LCD
Brightness Lumens (max)	3,200	2,600	4,000	5,000
Contrast Ratio (max)	2000:1	500:1	1000:1	1000:1
Display Size (in.)	30 – 300	30–300	30–300	30–350
Aspect Ratio	4:3 (native), 16:9	4:3 (native), 16:9	4:3 (native), 16:9	4:3 (native), 16:9
Minimum Throw Distance (in.)	47	29.5	35	35
Throw Ratio	1.9 – 2.16:1	1.5–1.7:1	1.5–1.8:1	1.5–1.8:1
Digital Keystone Correction	Yes	Yes, auto vert	Yes, auto vert	Yes, auto vert
Zoom/Focus Control	Manual/Manual	Manual/Manual	Manual/Manual	Manual/Manual
Eco or Whisper-mode	Yes	Yes, eco-mode	Yes, whisper-mode	Yes, whisper-mode
Noise Level (dB) Normal/Eco or Whisper-mode	39/36	36/30	36/30	39/33
Lamp Life** (hrs.) Normal/Eco or Whisper-mode	3,500/4,000	2,000/3,000	2,000/3,000	2,000/3,000
Altitude (ft.)	0–10,000	0–12,000	0–12,000	0–12,000
Lamp Type (watts)	260	220	285	275
Net Weight (lb.)	6.7	7.7	15.6	15.6
Integrated Speakers	2x5-watt	1x7-watt	4x4-watt	4x4-watt
Mac® Compatible*	Yes	Yes	Yes	Yes
Remote Control/Mouse	Yes/No	Yes/Yes	Yes/Yes	Yes/Yes
RGB Inputs/Outputs	2/1	2/1	2/1	3/1
Additional Inputs	S-video, composite	S-video, component, composite, audio	MI-D, S-video, component, composite	MI-D,BNC, S-video,component, composite
HD Ready	Yes	Yes	Yes	Yes
Video Compatibility (typ)	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV	NTSC, PAL, SECAM, HDTV
Dimensions- W x H x D (in.)	8.9 x 4.3 x 8.7	13.4 x 10.6 x 3.9	16.5 x 5.5 x 12.6	16.5 x 5.5 x 12.6
Power Consumption - watts (typ)	350	320	370	460
Includes Soft Case	Yes	Yes	No	No
Limited Lamp Warranty	1-year	1-year	1-year	1-year
First-Year Express Exchange®	Yes	FREE	FREE	FREE
Limited Warranty	3-year	3-Year	3-Year	3-Year

Replacement Lamps



ViewSonic offers longlife, user-installable replacement lamps for all our projectors.

PROJECTOR SPARE LAMPS

MODEL	DESCRIPTION
RLC-006	Replacement lamp for PJ1172
RLC-009	Replacement lamp for PJ256D
RLC-016	Replacement lamp for PJ766D, Cine1000
RLC-018	Replacement lamp for PJ506D, PJ556D
RLC-021	Replacement lamp for PJ1158
RLC-022	Replacement lamp for Cine5000
RLC-023	Replacement lamp for PJ558D
RLC-025	Replacement lamp for PJ258D
RLC-026	Replacement lamp for PJ588D
RLC-027	Replacement lamp for PJ358
RLC-030	Replacement lamp for PJ503D
RLC-031	Replacement lamp for PJ759
RLC-033	Replacement lamp for PJ260D
RLC-034	Replacement lamp for PJ551D, PJ557D, PJD6220
RLC-036	Replacement lamp for PJ559D, PJD6230
RLC-037	Replacement lamp for PJ560D, PJD6240
RLC-038	Replacement lamp for PJ1173
DTOO-821	Replacement lamp for PJ359W

PROJECTOR CASES AND MOUNTS

MODEL	DESCRIPTION
WMK-005	Universal ceiling mount (not compatible with 2 lb. projectors)

See ViewSonic.com for a full list of projector accessories.



Sales: (888)881-8781 • salesinfo@ViewSonic.com • ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. *Adapter may be required. Analog adapter available from ViewSonic. **Running eco-mode or whisper-mode exclusively can extend lamp life. †Optional RGB to component video adapter required. DLP is a registered trademark of Texas Instruments, Inc. in the United States and/or other countries. Specifications subject to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2008 ViewSonic Corporation. All rights reserved. [13858-078-08/08]